

FIND
YOURS
GIPPS

UMBRA — ADAPTABILITY, SIMPLICITY, CONSISTENCY

UMBRA is a modular constructor which covers 99% of the needs - shadow gap, floating profile of various widths, curtain track lighting, curtain rods solutions and perimeter gap diffuser.

The central advantages of the system:

- absence of shaping
- consistency and compatibility of all profiles
- easy to install and friendly to use
- suitable for any drywall layers
- independent ceiling structure attachment

The absence of shaping is a system solution that allows to significantly simplify the installation process and to make it more technologically advanced.

The product line consistency means that all profiles are adjusted in terms of height and geometry. This allows to combine them in angles and straight lines.


The system is adjustable. It can be applied on any drywall layers — one layer of 12.5 mm, two layers of 12.5 mm, one layer of 15 mm, and so on. In addition, it is possible to choose the exact height system settings for various types of painting works.

The independent suspension, a floating ceiling structure relative to the walls, enables you to compensate for the crack appearance due to building movements and linear ceiling extensions.


LONER — SIMPLICITY AND INDEPENDENCE

LONER is an independent perimeter profile forming a shadow gap. LONER is highly recommended to be installed if the design does not stipulate any perimeter solutions besides the shadow gap.


We strive to render the drywall ceilings installation simple, technologically advanced and pleasurable.



UMBRA
Shadow ceiling




LONER
Shadow ceiling




UMBRA
Floating ceiling with an
adjustable gap




UMBRA
Floating ceiling



UMBRA
Curtain track of 140 mm
width





UMBRA
Curtain track of 115 mm
width



UMBRA
Floating ceiling with
a ventilation
perforation hole


SHADOW JOINT

In addition to a decorative function, a shadow gap of 7-10 mm width acts as a deformation joint which helps to prevent cracks and preserve the ceiling shape for many years. The deformation joint removes all structure loads, such as house shrinkage or humidity and temperature characteristics changes during the room operation.





CURTAIN TRACKS

The curtain track profiles are 115 and 140 mm wide. They can be attached either to the wall on the base profile or anywhere in the ceiling, using the structural profile. A crucial feature is the rubberized noiseless gliders and the possibility to install curtain backlight from above or from the side.




FLOATING CEILING

Perimeter profiles to create a decorative backlit gap. The classic floating profile with an unregulated gap of 30 mm is attached to the base damper profile. If it is necessary to increase the gap up to 100 mm, you shall use an expander which is to be installed on the base profile on one side and on the structural profile with or without illumination on the other.



VENTILATION

Ventilation is arranged based on the floating profile with perforations and slots to install the Air Supply Box (ASB). The system is installed on the base profile with the possibility to create a soft decorative backlight.



KRAAB
SYSTEMS

KRAABMOD.EE

info@kraabmod.ee